

Eguitat of Part Shorts Serbania 1843 Equinte avenue Island, Troy newyork = my yennes for Niagana 8- 12 withouts with att hat branches 9-11 vaginel tell Sperites from the Camber of Com Ohio in flower only, the same E avense M. Cwao kie, W. Towni, supposath B. nemoros - but brush simple, They
6-7 inches long stem 15 inch, 255 anott specien of the name of Especiation fri Mitweskie else - Grandes 10 into Let only 13 teett E. aweure S. nemorose Kentucky 18 into

Toph lower brunchers near 102-12 inch, long

regularly vertically both ho! lower branches 4-5

teethed wheelt , 4-5- vertis-that Branchlatte Branklets 3 beth Englantere for Tong neutysik. I for massachuset. E. Gimosum Ma Cwankir. 21 teeth fithe Runders

C. Comos Bethleh Pennighen sterile shoots


with very long teils 15 teeth bruch , futtle E limos Ing 11.4. more stander Speasmens with 15-18 Alexandri La Hale more persistent! and more rough, all 3 carrince of the leaves very rough; 34-36 teelt ¿ vobus tuen 3 /2 feel k-gh. newlenn Hoth Canoling E Lawigatum B. elatum i Herb Short H Loomis & H. D. Croom MISSOURI BOTANICAL copyright reserved GARDEN


an incomplete specimen only part of the steering same size as E. sobustum 4/21 but perfectly some 30-31 teeth no Clark grobe at bese but bleck truncale Intale Heldenb , brearlancedate whitist teeth irregularly decidores, - leeves the will I above with 2 carrings, many of theeth ragged by the migularly desibre. Teck possible a new openies, with the south affantit states distinct for the western species, by its much larger size and the E hyennale pets of clean week bath Co by.

18" my 1433. _____ 20- 25- 28 beth


18" my 1433. ____ tabers les, leaves with mille


nearly one row of tabers les, leaves with mille canna formand thinky 4 cannote) or zone transa formand shalls short! Che Times also 3 cannote - 5 robertony. Evariegatur Sibileik. At Cabel Eulegenor Mike onstre fryslige it it me De, by a membran as many bet sheath wholly green; can have of steas rough, nearly simple. - contral assert much larger the the older ones. E. sisserides My MISSOURI BOTANICAL copyright reserved GARDEN





regionstan 1843 - Jether Harries a. Ferile , tem. 37-41 their branches 17-22 out how printer. I feetile stems 28-31; 2-2/2 fulligh of affine fatile stoms simple 20, to 25 1 - 20 feel subulate and a - River of white 50 lokasts from 206 35 E. lavig etter simple stem 2-3 feel high. or men Rux former vontones . _ ebot 22 fact Charact 20 and 24 /_ 62 -6 18-27 - and the lange won etg cart 30-31 Bank the 2 2 and for the 100 - 1/2 1/2 - 1/2. ___ al simplex, no black givile, to some 13. Mysemin moment of card ging in The form of the state of the should Black __ Teeth all Kumente flat or nath depresent in the middle with the summer of main and Brandsum with scalerous brunches brunches with 7-10 land late subulate block tell with small membranes y sorbrellum, min a l'the mon elevated, somewhat rough with small Industes - teeth wind leaves of shouth blow some minter the with the wath rough lateral range of the make, and teeth not also (monthly punished), who has subulited francisco) de elation, MISSOURI BOTANICAL copyright reserved GARDEN





0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Romuniulus polyonthemos L nemorosus & and (25 IT, 105° Mohl 316 In It 85% In sylvis propse Königst.
Pridelheim, pone Sechback 2 In grammhosis, silvis GEORGE ENGELMANN PAPERS MISSOURI BOTANICAL GARDEN . 81521

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

Copyright reserved